

Bill of Quantities for : Proposed Furnishing work for Upcoming Vatva Branch & On Site ATM, Ahmedabad for Punjab & Sind Bank, Gujarat Zone.

Sr. No.	Description	Quantity	Rate	Unit	Amount
---------	-------------	----------	------	------	--------

Page 1

[A] FURNISHING WORK

1 CASH COUNTER

Counter Size : 5'-0"x 2'-9"x 3'-9" ht

Supplying, fixing and keeping in position clerical counter complete as per design, and drawing made out of 18mm th. MR grade plywood of approved make, complete with 3/4" th. hard wood lipping on all edges wherever required.

The cost shall be inclusive of S & F of a drawer and shelf unit with MR Grade plywood and with Godrej/ equivalent lock in drawer and shelf unit. The cost shall also be inclusive of the following.

[a] size :

Description:	L	B	Ht.
Writing Top	5'-0"	2'-9"	2'-6"
Transaction Top	5' 0"	1'-0"	3'-9"
3 Drawers with pegion hole	2'-0"	1'-3"	2'-0"
Computer key Board			

Supplying and fixing metal key Board of Ebco Earl Bihari make in counter as per design and instructions.

- [b] Working top shall be finished with laminated sheet 1.0 mm thick of approved make & shade as per design and instruction.
- [c] Transaction top shall be made from 19mm thick plywood with laminate/12 mm thick plain glass. The front of the glass to have bevelled edge finish.
- [d] Front pannel and front projection shall be finished with laminate as per design and fixed on 18mm thick MR Grade plywood with horizontal and vertical grooves as per design.
- [e] 3" high skirting of finish laminae to be provided at bottom
- [f] The projecting portion shall have 9" deep shelf with vertical supports as required made of 18 mm thick MR grade plywood of approved make.
- [g] Counter shall have CPU Trolly foot rest and cable manager as per shedule
- [h] All wood work shall be laquore polished to a smooth and uniform finish of choice colour and shade.
- [i] Lamination pattern for apron & top of counter as per desing given. The entire inner surface of counter will have 0.8mm thick balance laminate as per instruction & approved make & shade.

Bill of Quantities for : Proposed Furnishing work for Upcoming Vatva Branch & On Site ATM, Ahmedabad for Punjab & Sind Bank, Gujarat Zone.

Sr. No.	Description	Quantity	Rate	Unit	Amount
Page 2					
[j]	Heavy duty telescope slidding channel of Ebco make shall be used in all drawers.				
[k]	All fittings like brass knobs/ Godrej locks to each drawer and cabinet doors, piano hinges, ball catcher stopper etc.				
[l]	Tray shall be provided as per drawing	5		RFT	
2	SINGLE WINDOW COUNTER[FRONT COUNTER]				
	- Do - as in item No. 1 but with transaction top.				
	Transaction top shall be made from 18mm thick jet black granite stone with/12 mm thick plain glass. The front of the granite stone to have round molding 38mm thick made by joining two stone.				
	Description: L B Ht.				
	Writing Top 4'-6" 2'-9" 2'-6"				
	Transaction Top 4' 6" 1'-0" 3'-9"				
	Drawer & storage cabinate 2 nos drawer and bottom openable shutter				
	Computer Key Board metal of Ebco Earl Bihari make in counter.	0		RFT	
3	WOODEN PARTITION (GLAZED)				
	Providing and fixing both sides laminated partition using 2" x 1" x 1.0mm thick aluminum frame members in a maximum grid of 2'-0" x 2'-0" fixing 6mm th MR grade plywood on both sides 1.0mm laminate of skeleton, providing 5.0/8.0 mm th float glass as directed in the partition. Providing door shutter using 32 mm thick flush door finished with laminate and 6 / 8 mm thick glass as per design . Godrej Mortice lock shall be provided in door shutter Steam beach Beading glass. All visible members if not laminated shall have laquore polished as directed. The above wooden partition laminated up to bottom of falce ceiling only. measurement shall be considered up to bottom of ceiling. This item also includes to provide frosted film on glass of partitions as per Bank's design, guidelines & instructions.				
		190		SFT	

Bill of Quantities for : Proposed Furnishing work for Upcoming Vatva Branch & On Site ATM, Ahmedabad for Punjab & Sind Bank, Gujarat Zone.

Page 3

Sr. No.	Description	Quantity	Rate	Unit	Amount
3A	WOODEN PARTITION ABOVE FALSE CEILING ONLY FRAMING UP TO RCC CEILING				
	do as above but wooden partition above false ceiling between false ceiling and up to RCC ceiling. The same partition is made out of aluminum/wooden framing and without ply & lamiantie.	40		SFT	
4	WOODEN LOW HEIGHT PARTITION (GLAZED) Providing and fixing both sides laminated partition using 2" x 1" x 1.0mm thick aluminum frame members in a maximum grid of 2'-0" x 2'-0" fixing 6mm th MR grade plywood on both sides 1.0mm laminate of skeleton, providing 12mm th float glass as directed in the partition. Providing door shutter using 32 mm thick flush door finished with laminate. Godrej Mortice lock shall be provided in door shutter Steam beach Beading glass. All visible members if not laminated shall have laquore polished as directed. This item also includes to provide frosted film on glass of partitions as per Bank's design, guidelines & instructions.	10		SFT	
5	WOODEN PARTITION (GLAZED) FOR CASH CABIN Providing and fixing low height Cash cabin patition using 2" x 1" x 1.0mm thick aluminum frame members in grid of 2'-0" x 2'-0" fixing 6 mm thick MR grade plywood of approved brand on both side of wood skeleton and fixing 1.0 mm thick laminate of approved shed on both sides. All the beading with laquore polish as directed shall be fixed on all exposed edges. Fixing 12 mm thick float glass as directed. Applying laquore polish on exposed hard wood members as directed complete. This item also includes door closer, to provide frosted film on glass of partitions as per Bank's design, guidelines & instructions.	125		SFT	
6	WOODEN PARTITION FOR SINGLE WINDOW Providing and fixing low height Single window cabin patition using 2" x 1" x 1.0mm thick aluminum frame members in grid of 2'-0" x 2'-0" fixing 6 mm thick MR grade plywood of approved brand on both side of wood skeleton and fixing 1.0 mm thick laminate of approved shed on both sides. All the beading with laquore polish as directed shall be fixed on all exposed edges. Fixing 12 mm thick float glass as directed. Applying laquore polish on exposed hard wood members as directed complete.	0		SFT	

Bill of Quantities for : Proposed Furnishing work for Upcoming Vatva Branch & On Site ATM, Ahmedabad for Punjab & Sind Bank, Gujarat Zone.

Sr. No.	Description	Quantity	Rate	Unit	Amount
Page 4					
7	WOODEN PARTITION (SOLID) Providing and fixing both sides laminated partition using 2" x 1" x 1.0mm thick aluminum frame members in a maximum grid of 2'-0" x 2'-0" fixing 6mm th MR grade plywood on both sides with with both side 1.0mm laminate of skeleton of approved shade in the partition. Providing door shutter using 32 mm thick flush door finished with laminate and 6 / 8 mm thick glass as per design . Godrej Mortice lock, etc. shall be provided in door shutter Steam beach Beading glass. All visible members if not laminated shall have laquore polished as directed.	420		SFT	
8	WOODEN FLAP DOOR Providing and fixing Wicket Gate using 32mm thick flush door with 1.0 mm th laminate and 3" ht skirting brushed ss laminate on both sides. All the edges of shutters shall have 45 x 15 mm polished T.W Beading shutter shall be fixed on counter or hard wood frame with necessary locking arrangements.	10		SFT	
9	PANELLING WITH LAMINATE ON WALL Providing and laying pannelling on walls having 12mm thick MR grade plywood and 1.0mm th laminate fixed on wall with hard wood framing of 2" x 1" at 2'-0" c/c bothways complete as directed. pannelling as per design and instruction of Architect.	250		SFT	
10	PANNELING ON COLUMN Providing and fixing pannelling on pillar usiong 2" x 1" hard wood frame work with 12 mm thick MR grade plywood on it and 1 mm th laminate of approved shade. This item also includes t. w. beading of required size & shape with laquore polish.	30		SFT	
11	12mm GLASS FRONT OF CASH & SW Providing and fixing Glass partition on Cash counter front side top as follows. 12 mm thick glass with pencil polished edges shall be fixed with necessary S.S Brush finish brackets support on wooden partition as directed Making necessary cut out in glass all edges of glass shall be Diamond cut polished edges as directed complete.	17		SFT	

Bill of Quantities for : Proposed Furnishing work for Upcoming Vatva Branch & On Site ATM, Ahmedabad for Punjab & Sind Bank, Gujarat Zone.

Sr. No.	Description	Quantity	Rate	Unit	Amount
Page 5					
12	MAIN ENTRANCE DOOR Providing and fixing openable glazed door fixed to the lintel & floor fitted with approved make patch fittings with double action floor spring with providing and fixing 12 mm thick toughened glass of special selected quality free from bubbles, holes or any surface deformation. Allow for cutting chases to walls, floor and mending good damages. The rate should include for providing necessary approved quality concealed locks. The item is to be completed in all respects with necessary patch fittings, stainless steel pivot support as per drawing and direction including all labour and materials.				
[I]	OPENABLE PORTION [DOUBLE SHUTTER] SIZE 5'-0" X 7'-0" FOR BRANCH & 3'-6" X 7'-0" FOR ATM	60		SFT	
[II]	FIXED GLASS PORTION FOR BRANCH & ATM	65		SFT	
13	GYPSUM BOARD FALSE CEILING WITH PAINT Providing and fixing Gypsum board 12.50 mm thick false ceiling in steps and design using Original Indian Gypsum board with original company GI sheet section (Gypsteel) supporting system in lline and level. Finishing the surface and applying 3 coats of flat paint as directed complete entire work to be done as per standard specifications of Indian Gypsum. Note : (1) Rate includes making necessary cutouts for lighting fixtures .. (2) Pattas of Less than 1'-0" shall be measured in Rft and paid in Rft).	400		SFT	
14	DAIKEN MAKE FALSE CEILLING WITH SILLOHOUETTE GRID Using Silhouette Grid ceiling with Daiken make. 15mm thick Fissured OCR with 15mm T Bar Providing & fixing of tiles, with hot dipped galvanized steel grid work, surafce chemically cleaned capping pre-finished in baked polyster paint, main tees 15mm every 1.2M centre to centre, stitcked and suspending the grid from RCC roof using 3mm G. I. Road, 6mm nylon rawl plug and 6mm J bolt at every 1200mm intervals and laying Daiken mineral fiber acoustic ceiling tiles Fissured of size 600 X 600 X 15 OCR mm over the formed grid having fire rating of 60 minutes as per BS 47G/23 of 1987. Light Reflection of > 85%. Noise reduction coefficient (NRC) of 0.55 to 0.60, sound attenuation of 32 db, K = 0.52-0.57 W/mk. Humidity resistance up to 99% at 50'C. etc. complete as per direction. IIs, diffusers light fixtures complete as directed. Rate included necessary Cutout for light and Diffusers will not be deducted from area.	400		SFT	
15	BRANCH MANAGER TABLE Table of Size 5'-0" x 2'-6" x 2'-6" Height with Side Credenza Size 3'-3"x1'-6" x 2'-6" Height Table shall be made of 19 mm /12mm thick MR grade plywood and finished with laminate on all exposed sides finished with 3 coats of laquore polish.				

Bill of Quantities for : Proposed Furnishing work for Upcoming Vatva Branch & On Site ATM, Ahmedabad for Punjab & Sind Bank, Gujarat Zone.

Sr. No.	Description	Quantity	Rate	Unit	Amount
	<p>The table top shall be finished with laminate finish</p> <p>The table shall have 1 1/2" x 1" thick beech wood beading as per drawings on all sides with polish</p> <p>The front apron of the table shall be made up of 12 mm thick MR grade plywood as to form depression and shall be finished with laminate finish on all exposed sides and polished from inside.</p> <p>The table shall have key board drawer on telescopic channels as per schedule</p> <p>The Drawer unit will comprise of two sliding drawer on telescopic channel and bottom openable shutter with all hardware as per schedule</p> <p>The entire inner surface of table will have 0.8mm thick balance laminate/liner as per instruction.</p> <p>The table shall have CPU trolley, Foot rest and cable manager. Side Credenza shall be made of 18 mm thick ply wood and finished with laminae on all exposed surface with melamine polish.</p> <p>The entire inner surface of table will have 0.8mm thick balance laminate as per instruction.</p> <p>It shall have two top drawers 4" deep with telescopic channel and two bottom openable shutters with all hardware</p> <p>The skirting shall be finished with 3" ht 1.0 mm thick laminate</p> <p>Rate of Table includes cost of side Credenza</p>	1		NO	
16	<p>OFFICER'S / STAFF TABLE</p> <p>Table of Size 4'-3" x 2'-6" x 2'-6" Height with Side Credenza Size 3'-0"x1'-6" x 2'-6" Height</p> <p>Table shall be made of 19 mm /12mm thick MR grade plywood and finished with 1 mm thick laminate on side and top</p> <p>The table shall have 1 1/2" x 1" thick beech wood beading as per drawings on all sides with polish</p> <p>The front apron of the table shall be made up of 12 mm thick MR grade plywood as to form depression and shall be finished with 1 mm thick laminate.</p> <p>The table shall have key board drawer on telescopic channels as per schedule</p> <p>The table shall have CPU trolley, Foot rest and cable manager.</p> <p>The Drawer unit will comprise of two sliding drawer on telescopic channel and bottom openable shutter with all hardware as per schedule</p> <p>Side Credenza shall be made of 18 mm thick MR grade plywood and finished with 1 mm thick laminate</p> <p>It shall have two top drawers 4" deep with telescopic channel and two bottom openable shutters with all hardware</p> <p>The entire inner surface of table will have 0.8mm thick balance laminate as per instruction.</p> <p>The skirting shall be finished with 3" ht 1.0 mm thick laminate</p> <p>Rate of Table includes cost of side Credenza</p>	2		NO	

Bill of Quantities for : Proposed Furnishing work for Upcoming Vatva Branch & On Site ATM, Ahmedabad for Punjab & Sind Bank, Gujarat Zone.

Sr. No.	Description	Quantity	Rate	Unit	Amount
Page 7					
17	May I Help U Table with 12mm thick glass 9" wide with stainless steel stud etc. as per direction.	0		NO	
18	CASH SORTING/STITCHING TABLE Providing and Fixing Note Sticking Table having width 2'-0",Length 3'-6" using 18 mm thick MR grade plywood for Top and verticals supports. providing 1 1/2" x1" beech wood edge beading with laquore polish Providing drawer as directed complete Top and front side of the Table shall have 1.0 mm thick laminate. 3" ht skirting 1.0 mm thick laminate . The entire inner surface of table will have 0.8mm thick balance laminate/liner as per instruction & complete as directed.	1		NO	
19	STORAGE CABINATE Size : Depth 1'-6" ht. 2'-3"/2'-6"/7'-0" having openable shutter as directed. Cabinate shall be made from 18mm thick MR grade plywood for verticale, shelves, shutters and 6mm MR grade plywood for backing, providing 1 1/2 x 3/4" edge beech wood beading The storage shall be finished with 1.0 mm thick laminate on all exposed surface . 3 " ht skirting 1 mm thick laminate . as per design. The entire inner surface of storage will have 0.8mm thick balance laminate/liner as per instruction. internal surface with verticale (at 3'-0" c/c) shelves at 1'-3" c/c shutters openable in 18mm thick MR grade plywood with all S.S hinges, towers bolts, powder coated handle, ball catches, S.S godrej multi purpose lock complted. Edges to be finished with teak wood lipping etc. including all incidental etc. complte.	60		SFT	
20	ELECTRIC CUP BOARD SHUTTER Providing and fixing Electric cup board using 18 mm thick MR grade plywood with 1.0 mm thick laminate on outer sides, polishing/painting on internal surface with Godrej lock, Handle, ball catches, complete as directed depth of cup board 1'-3". The entire inner surface of cup board will have 0.8mm thick balance laminate/liner as per instruction.	40		SFT	
21	NOTICE BOARD Providing soft board for pin up using moulded hard wood frame of 1 1/2" x 1" with 6mm thick MR grade plywood on back side and 12mm thick soft board on front. Fixing cloth of selected design of Basic rate of Rs. 150 per mt. hard wood member shall have laquore polish as directed complete.	15		SFT	
22	CHEQUE WRITING TABLE Writing Desk Size 3'-6" x 1'-6" x 9" ht. Cheque writing table as per following description Shall be made of 18 mm thick MR grade plywood and finished with laminate				

Bill of Quantities for : Proposed Furnishing work for Upcoming Vatva Branch & On Site ATM, Ahmedabad for Punjab & Sind Bank, Gujarat Zone.

Sr. No.	Description	Quantity	Rate	Unit	Amount
	<p>The table shall have 12 mm thick plain glass. The glass will be fixed with SS buttons as per design.</p> <p>The table shall be of 12 mm thick plain glass for top and verticale divisions for keeping withdrawal/deposit forms</p> <p>The panels shall have 4 mm thick SS strips at 2'-0" length.</p> <p>The entire inner surface of customer table will have 0.8mm thick balance laminate/liner as per instruction.</p> <p>The Skirting shall be finished with 3" wide 1 mm thick laminate refer schedule</p>	1		NO	
23	<p>LETTER CUM SUGGESTION BOX</p> <p>Providing and fixing of letter box cum suggestion box of size 1' 3"x1'-0" x 3'-6" ht. Box shall be made from 18mm thick MR grade plywood with 1.0mm th laminate, back shall be 6mm thick MR grade plywood shutter shall be made from 18mm thick MR grade plywood with 1.0mm th laminate and Godrej lock, The top shall have a slit for dropping latter, all the surface of the box without laminate shall have polish as directed. The entire inner surface of suggstion box will have 0.8mm thick balance laminate/liner as per instruction.</p>	1		NO	
24	<p>DOOR CLOSER</p> <p>Providing and fixing "Godrej" or equivalent make door closure.</p>	5		NO	
25	<p>FLOOR SPRING</p> <p>Providing and fixing "Godrej" or equivalent make heavy duty floor spring.</p>	3		NO	
26	<p>ROLLER BLINDS</p> <p>Providing & Fixing roller Blinds of Dustguard Classic range with 5mm high x 50mm and 100mm wide 1.2mm thick walls of alluminium alloy head rail with 3.5.1 planetary reduction gear box (end control unit) with plastic tilting chain, tilt rod runners with firm and gear mechanism with 180 degree rotating louvers with approved shades by Architect/Consultant protected by dust guard. Fabric protector of <u>NEON</u> make with matching balance of same fabric on channel. The measurement shall be considered as per plan area of the window/ opening/partition only and measurements of Air conditioners will be deducted.</p>	200		SFT	
27	<p>12MM THICK GLASS FOR MANAGER TABLE TOP</p> <p>Providing and fixing 12 mm thick plain glass on table top including bevelled & polished edges.</p>	13		SFT	

Bill of Quantities for : Proposed Furnishing work for Upcoming Vatva Branch & On Site ATM, Ahmedabad for Punjab & Sind Bank, Gujarat Zone.

Sr. No.	Description	Quantity	Rate	Unit	Amount
Page 9					
28	CENTRE TABLE/ TEA POY Supplying and providing 2'-3" x 2'-3" Tea poy as follows. Skeleton of the tepoy shall be made of Steam beach members of 1 1/2" x 1 1/2". Top shall be made from 12mm thick palin Glass with bevelled and polishing edges shall be provided. One shelf of 18mm thick MR grade plywood shall be provided at the bottom. All the surface shall be polilshed as directed.	1		NO	
29	PAINTING WORK				
[a]	Painting with Acrylic Emulsion paint, of approved shade and brand on walls and ceiling applying minimum three coats or more to get even and satisfactory finish as directed including scrapping old white wash. Applying cement primer and filling cracks with plaster of paris and Lappi as directed.	0		SFT	
[b]	Providing and applying synthetic enamel paint, at all heights of required shade and approved make on old work including the scrapping/cleaning and preparation of surfaces for painting, applying primer and putty, with two or more coats of approved first quality enamel.	0		SFT	
[c]	Providing and applying Texture paint of Heritage/Berger brand on internal walls. Rate includes surfaces preparation, applying necessary coats of paint to obtain Uniform and even finish. Rate also includes applying paint of approved shed etc. complete.	50		SFT	
30	DRESSING TABLE Providing and fixing Dressing table as follows : Dressing table size of 1'-6" X 1'-6". Top shall be necessary dunlop, Ufoam Gadi, covered with tapestry etc. complete.	1		NO	
31	DRESSTING MIRROR Supplying and providing Dressing Mirror as follows. Dressing Mirror shall have 1'-6" x 4'-0" 5mm thick mirror with 1 1/2" x 3" T.W. frame and 6mm thick MR grade plywood with 12mm th. Glass of provided 2'-0" x 6" size having polished edges supported by brass bracket 2 Nos as directed complete.	1		NO	

Bill of Quantities for : Proposed Furnishing work for Upcoming Vatva Branch & On Site ATM, Ahmedabad for Punjab & Sind Bank, Gujarat Zone.

Sr. No.	Description	Quantity	Rate	Unit	Amount
Page 10					
32	ALLUMINUM COMPOSITE PANELING FOR EXTERIOR OF BRANCH & INTERIOR PANELING OF ATM Providing & fixing 4mm thick aluminum composite panel with 0.5mm foil with 2" X 1" x 1.6mm aluminum hollow section tray system with minimum 20mm bending with silicon Dow Corning of GE seal proof – ACP of approved Indian make complete as per selection and direction of Architect for front façade for the building. This item will be carried out as per manufacturer specifications and design pattern etc. as per given by Architect.	400		SFT	
33	WOODEN SHUTTER BELOW PANTRY PLATFORM Providing & fixing wooden shutter for below pantry platform with 1.5" X 1" wooden t.w. frame and 18mm thick MR grade plywood of approved make and finished with 1mm thick laminate of approved make & shade. Outer side polishing/painting with all fitting, fixtures like handle, stoper, etc. as per direction of Architect.	7		SFT	
34	PLYWOOD COVERING FOR ROLLING SHUTTER Providing & fixing plywood covering on rolling shutter. Panelling shall be done on necessary wooden framing with 12mm thick MR grade plywood of approved make and laminate of approved shade & color. Exposed edges shall be laquore polished. The entire item will be carried out as per direction of Architect.	80		SFT	
35	ACRYLIC POSTER RFRAME Providing and fixing 2 nos. acrylic sheet of 18" x 24" clear (poster to be sandwiched in between) outer sheet in 5mm thick and bevelled crystal edge polished for 3/4" at 8-10 degrees on all sides in the Rear sheet is 5mm thick flat etc. complete as per instructions.	1		NO	
36	STAINLESS STEEL ROD CEILING OVER CASH Providing & fixing 2 1/4" x 2 1/4" (clear size) hard wood / chill wood frame with 6mm thick plywood of approved make on all four sides finished with 1 mm thick approved shade laminate of approved make and placed at 7'-0" height above the cash cabin. S.S matt finished pipes of 1' dia of 304 grade shall be fixed at 4" c/c distance (maximum) along the shorter side of the frame etc. complete as per direction.	40		SFT	
37	FROSTED FILM ON GLASS Providing & fixing frosted film of glass of partition, main door etc. as per approved quality and design pattern as per direction	50		SFT	
	FINAL TOTAL OF FURNITURE				Rs.
	ADD FOR GST @ ____ % ON RS.		(+)		Rs.
	FINAL TOTAL OF FURNITURE WORK				Rs.

Rupees

Name of Contractor with Seal & Signature

Date :

Place :